



By CRC Industries 



CLEANERS



DEGREASERS



ANTI-CORROSION



LUBRICANTS



AUTOMOTIVE



SPECIALTY



MAINTENANCE CHEMICALS

Product Overview



CRC Industries has been a leader for more than 50 years in the production of automotive, industrial, electrical and marine maintenance chemical products.

Our diverse range has a quality product to meet most maintenance and repair applications, allowing users to consolidate chemical purchases to one source for greatest convenience and economy.

Committed to service and quality, we pride ourselves on being recognised as the leader in product quality, performance and regulatory compliance.

As an ISO-9001:2008 Certified manufacturer, CRC Industries Inc. places strict controls on every step of our product development and manufacturing process.

NSF















FOOD GRADE: NSF CODE DESCRIPTIONS

	This product is acceptable as a lubricant with incidental food contact for use in official establishments operating under the Federal Meat & Poultry Products Inspection Program
	This product is acceptable as a lubricant where there is no possibility of food contact in official establishments operating under the Federal Meat & Poultry Products Inspection Program
	This product is acceptable as a general cleaner/ degreaser in inedible product processing areas, and/or exterior areas of official establishments operating under the Federal Meat & Poultry Products Inspection Program
	This product is chemically acceptable as a solvent cleaner for use in non-processing areas of official establishments operating under the Federal Meat & Poultry Products Inspection Program
	This product is chemically acceptable as a solvent for cleaning electronic instruments and devices which will not tolerate aqueous cleaning solutions in official establishments operating under the Federal Meat & Poultry Products Inspection Program
	This product is acceptable for use as a Release Agent on grills, ovens, loaf pans, boning benches, chopping boards, or other hard surfaces in contact with meat and poultry food products to prevent food from adhering during processing
	This product is acceptable for use as a leak detector in and around food processing areas. The product must be only used in such a manner as to ensure it will have neither direct nor indirect contact with food or potable water
	Acceptable for use as a general cleaner on all surfaces in and around food processing areas, where its use is not intended for direct food contact. All food products and packaging materials must be removed or protected prior to product use. After use of this product, surfaces should be rinsed with potable water. The cleaner should not exhibit a noticeable odour nor leave a visible residue.
	This product is acceptable as a metal cleaner and polisher for non-food contact surfaces in and around food processing areas
	This product is acceptable as a degreaser or carbon remover for food cooking or smoking equipment, utensils, or other associated surfaces in and around food processing areas, where its use is not intended for direct food contact

INDEX

PRECISION CLEANERS	5
INDUSTRIAL DEGREASERS & CLEANERS	8
PROTECTION & CORROSION INHIBITORS	11
LUBRICANTS	15
SPECIALITY	21
AUTOMOTIVE	23
SMARTWASHERS	28
 PRODUCTS	31
EVAPO-RUST	38

KEY Icons are an indication of use. However, please refer to MSDs and TDSs for accurate information

 Mining/Industrial	 Electrical	 Electronic
 Flammable	 Automotive	 Kauri Butanol (KB) value
 Specialised	 Evaporative	 Eco-Friendly
 Non-Flammable	 360° spray valve	 Multi-Purpose: Lubricate / Protect / Penetrate / De-water
 Food Processing Safe	 Green Force	

GREEN FORCE



Green Force is a sustainable* initiative bringing together products that meet the growing customer need for reducing environmental impact and improving user safety, while delivering the premium quality and the high performance that customers expect from CRC Industries.

Green Force products have been tested to comply with strict scientific criteria that provide users full confidence and transparency that there is no “green-washing”, only verifiable, evidence-based product selection.

Green Force products are easily identified by their on-pack emblem. CRC will continue to innovate and grow the **Green Force** portfolio through new products and reformulations to meet future customer requirements and environmental compliance.

* reducing environmental impact through verifiable criteria



When your electronic or electrical equipment gets wet this season, use the CRC 5-step approach



Code: 92005

Code: 32429

- 1** Switch off and disengage equipment
- 2** Clean off oil and dirt with QD contact cleaner (Code 32429) – apply liberally!!
- 3** Displace moisture and water using 2-26 (Code 92005) – apply liberally!!!
- 4** Clean off again with QD contact cleaner (Code 32429) – apply liberally!!
- 5** Take Megga readings after equipment has been cleaned. If readings are not up to minimum resistance levels, REPEAT application

DISPLACE MOISTURE EFFECTIVELY

PRECISION CLEANERS



PRECISION CLEANERS



Flammable

Is it Plastic Safe?



Code: 32429



Non-Flammable

Is it Plastic Safe?



NON-FLAMMABLE AND
SAFE FOR USE ON MOST PLASTICS

Code: 2140

Code: 2017



QD CONTACT CLEANER

(12 p/box)

Code: 32429

Plastic safe, quick drying and leaves no residue. Ideal for applications where lower flash-point solvents can be used. Flammable, quick drying, complete evaporation.

Applications: Telephones, PCs, relays, edge connectors, tape heads, bus bars, circuits, contacts, printed circuit boards, switches & breakers.

KB
28



CONTACT CLEANER 2000

(12 p/box)

Code: 2140

An effective alternative to 141b-based cleaners when sensitive plastics are not a concern. Evaporates quickly, leaves no residue, has no flash or fire point and contains no Class I or Class II Ozone Depleting Chemicals.

Applications: Contacts, circuit breakers, switches, relays, meters, light bulb sockets, control systems and coils where lubricating & corrosion protection is required.

NSF K2

KB
45





PRECISION CLEANERS



NF CONTACT CLEANER

(6 p/box)

Code: 2017

Instantly removes grease, oil, dirt, flux and other contaminants. High purity formula evaporates rapidly and leaves no residue. Non-flammable, no flash point, might harm certain plastics (test first).

Applications: Relays, switches, circuit breakers, alarm and signal systems, printed circuit boards, connectors, generators, contacts, laboratory and test equipment, motor and motor controls, sensors, flux removal, terminals, plugs and jacks.



DUSTER

(12 p/box)

Code: 5185

Moisture-free dust and lint remover that effectively removes dirt, dust, lint and other contaminants with a dry blast of air. Safely eliminates debris from sensitive electronics, appliances and equipment.

Applications: Circuit breakers, computer components, contacts, electronics, lab equipment, light sockets, locks, office equipment, PC boards, PCs, photographic equipment, radios, PCV valve, sensors, smoke detectors, stereos, switches, telephones, televisions, VCRs.



CONTACT CLEANER PLUS

(12 p/box)

Code: 32180

Cleaning, de-oxidation, lubrication and protection of electrical contacts. Safe on plastic and rubber. CRC Contact Cleaner Plus provides long lasting lubrication which is safe to use on all metal surfaces, most rubbers, plastics and coatings. Contact Cleaner Plus is non corrosive. It also has a no ozone depleting action.

Applications: Electro-mechanical assemblies, control assemblies, all electrical contacts.



CONTACT CLEAN & PROTECT

(12 p/box)

Code: 33414

A contact cleaning oil that can be used for cleaning, de-oxidation, lubrication and protection of electrical contacts. Evaporates quickly, non-corrosive. Dissolves grease, oil and resinous contaminations. Provides long lasting lubrication. Safe on all metal surfaces - does not stain. High purity CO2 propellant, giving an active product content of 95%.

Applications: Bulb fittings, push-pull connectors used for connecting wires, contact points in connection plugs used to branch electric or electronic modules, clamps for fuses, contactors, contact pins on printed circuits, sleeve contacts or spring loaded contacts.





Brākleen



BRAKE PARTS CLEANER


The original non-flammable formula quickly and safely removes brake fluid, grease, oil and other contaminants from all types of brake systems, including ABS.

INDUSTRIAL PARTS CLEANER

It is safe for all metal surfaces and leaves no residue or stains.

FEATURES:

- Superior cleaning and fast evaporation
- Non-staining
- Non-corrosive
- Leaves no residue



APPLICATIONS:

- All brake and clutch parts
- Safe on most rubbers and plastics
- Metal surfaces and equipment





INDUSTRIAL DEGREASERS & CLEANERS



LECTRA CLEAN

(12 p/box)
5ℓ (4 /box)
20ℓ (1 /box)

Code: 2018
Code: 2020
Code: 2021

Quickly and effectively removes grease, oil, tar, dirt, grime corrosion, sludge and other stubborn substances to increase operating efficiency of electric motors and equipment. It offers quick and effective degreasing action, fast evaporation and leaves no residue.

Applications: Energised electrical cleaner



BRAKLEEN

(12 p/box)

Code: 5089

Quickly and safely removes brake fluid, grease, oil and other contaminants from brake linings, pads, drums and callipers. Non-staining, non-corrosive and leaves no residue. Safely settles and removes asbestos dust from brake assemblies, preventing inhalation of airborne particles.

Applications: ABS, disc, drum, brake cylinders, brake drums, brake linings, brakes shoes, callipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems, including springs and wedge brakes.



BRAKLEEN BULK

5ℓ (4 /box)
20ℓ (1 /box)

Code: 5090SA
Code: 5091SA

Quickly and safely removes brake fluid, grease, oil and other contaminants from brake linings, pads, drums and callipers. Non-staining, non-corrosive and leaves no residue. Safely settles and removes asbestos dust from brake assemblies, preventing inhalation of airborne particles.

Applications: ABS, disc, drum, brake cylinders, brake drums, brake linings, brakes shoes, callipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems, including springs and wedge brakes.



LABEL OFF SUPER

(12 /box)

Code: 32314

Eliminates adhesive labels and rests of sticky substances and glues from most surfaces in 2-3 minutes. It does not attack most of the plastics (test on plastic substrates prior to use). It is recommended to scratch the surface if the label is plasticized. Adapted for use in every industry, including food processing

Applications: Paper labels, plastified labels and sticky substances.



INDUSTRIAL DEGREASERS & CLEANERS



ECO FOAM CLEANER

(12 p/box)

Code: 10278

Water based, heavy duty, multi-purpose foam cleaner and degreaser for use on food processing equipment. The stable, non-dripping foam formula ensures longer contact time and improved performance on vertical surfaces. Removes grease, oil, grime and other tough stains. Compatible with most plastics.

Applications: Equipment and parts cleaning, Tool cleaning, Hard surfaces and fabrics, Cleaning of heat exchangers in gas boilers, Building maintenance, Marine maintenance, All-purpose cleaning and degreasing



ECO DEGREASER

(12 p/box)

Code: 33344

A fast drying and powerful degreasing product and still compatible with most plastics and biodegradable. The Industrial ECO degreaser penetrates quickly dissolving and removing grease, oil, lubricants, tar, adhesives and other contaminants. Leaves no residue and enhances overall performance. Adapted for use in every industry, including food processing.

Applications: Motors & engines, mechanical brakes & clutches, dies & moulds, pneumatic tools, compressors & pumps, generators & sprockets, material handling equipment, parts & tools, chains, wire ropes, cables & fork lifts



INOX KLEEN

(12 p/box)

Code: 20720

Water based, foaming cleaner for degreasing and cleaning shiny metal surfaces. It eliminates fingerprints, watermarks, dust and dirt from stainless steel. It leaves a protective non-greasy barrier for a long-term original aspect and provides metal surfaces with a long-term staining and contamination resistance. CRC Inox Kleen is also suitable for aluminium, chrome and most plastics (test prior to use).

Applications: Aluminium, chrome, other shiny metal surfaces located in heavily industrial environments, stainless steel.



ECO COMPLEX BLUE

5ℓ (2 /box)

Code: 10282

1ℓ (6 /box)

Code: 33418

20ℓ (1 /box)

Code: 20123

Non-flammable, water-based cleaner for heavy contaminants in food processing areas. Removes grease, oil, lubricants, grime, blood, nicotine, food and other tough stains, etc from any washable surface. It is readily biodegradable, free of phosphate, EDTA, ammonia or perfume.

Applications: For cleaning of all washable surfaces in general industry (automotive, chemical, transport, metal, etc) and in the food industry (meat, dairy, packaging, cellars, bottling, bakeries, etc)





ECO COMPLEX BLUE

Quickly removes grease, oil, lubricants, grime, blood, nicotine, food and other tough stains, virus, bacteria and fungus from any washable surface.



▶ IMPROVED FORMULA:

Improved efficiency targeted to the toughest contaminants

▶ FOOD PROCESSING SAFE:

NSF registration: A1

▶ ENVIRONMENTALLY FRIENDLY:

Biodegradable per OECD 301B> 64%

▶ SAFE FOR THE WORKER:

- Does not contain ammonia, chlorinated, petroleum or other hazardous solvents
- Non-flammable
- Non Volatile Organic Compounds (VOCs)

▶ SAFE FOR THE SURFACE

Compatible with most materials incl. metals, plastics, and painted surfaces

PROTECTION & CORROSION INHIBITORS



SHORT TERM (6 months)



Code: 10110



MEDIUM TERM (2 years)



Code: 32659



Code: 32350



PROTECTION & CORROSION INHIBITORS



ZINC

(12 p/box)

Code: 30563

Cathodic protection, even for damaged galvanised parts. Zinc based coating with excellent adhesion to metal surfaces. The high zinc content is sacrificed during the corrosion process and so provides a galvanic protection of the treated metal. The dry coating contains a maximum amount of zinc (purity 98%), ensuring a self-healing effect when the coating gets scratched. The dry coating is matt and has an excellent surface structure to be painted.

Applications: For general use in all situations where clean and degreased metal surfaces need to be protected against corrosion. Car body repair, trailers, caravans, ships, harbour installations, fencing, structural steel, railroad equipment, roof guard rails, steel cables, storage tanks, welding seams and rivet holes, repair of galvanised parts.



KNOCK'ER LOOSE

(12 p/box)

Code: 3020

An industrial strength, low viscosity super penetrant designed to quickly loosen and free seized, bound or frozen fasteners. Quickly permeates rust, scale, gum, grease and corrosion on nuts and bolts, pins, screws, bushings, clips, hinges, snaps, lugs, caps, locks, washers and sliding mechanisms.

Applications: Nuts and bolts, pins, screws, bushings, clips, hinges, snaps, lugs, caps, locks, washers and sliding mechanisms.



ROST FLASH PRO

(12 p/box)

Code: 32720

A unique penetrant, free of silicones and acids, that immediately drops the temperature of the area in contact to -40°C. The freeze shock action cracks rusted surfaces allowing it to reach deeper and work more effectively than other penetrants.

Applications: Nuts and bolts, pins, screws, bushings, clips, hinges, snaps, lugs, caps, locks, washers and sliding mechanisms.





INOX 200

(12 p/box)

Code: 32337

Coating with good anti-corrosion properties and a nice look, identical to stainless steel (inox). The coating is fast drying, resistant to high temperatures and has excellent adhesion properties. Ideal touch-up paint : to be used after welding or when mounting a stainless steel construction. Will cover and protect discolored welding seams.

Applications: Industrial vehicles, safety equipment, piping and couplings, containers, furniture, home and garden equipment.



SP 350

(12 p/box)

Code: 32659

Indoor protection up to 2 years. Outdoor protection when covered, up to 1 year. Highly viscous protective oil. Forms a thin penetrating protective film, which does not dry. Protects against moisture and corrosive vapours. Displaces moisture and does not drip off. Covers both smooth surfaces and sharp edges. Provides a relatively long corrosion protection. Do not store the protected parts in outdoor and uncovered conditions.

Applications: Protective coating for assemblies in storage, shipment and process. Precise machined surfaces. Protection of cutting tools, work-bench tops, fixtures, gears and shafts. Start-up lubricant for stored machinery.



SP 400

(12 p/box)

Code: 32350

Outdoor protection up to 2 years. Waxy corrosion protector. Provides an effective corrosion protection in outdoor conditions, for a long period. The waxy protective film does not become brittle and protects against heavy corrosive circumstances as moisture and salt water.

Applications: Precision machine surfaces, shafts, motors, start-up lubricant for stored machinery, assemblies in storage or in shipment, equipment exposed to elements, outdoor storage of raw materials & finished stock.





PROTECTION & CORROSION INHIBITORS



URETHANE ISOLATION RED

(12 p/box)

Code: 32670

Red coloured protective, urethane based varnish for electronic components. Red coloured one-component, urethane type coating. Urethane coating seals out water and moisture and acts as a barrier for contaminants. The coating dries fast and adheres well to most surfaces. After curing, the protective film has a high flexibility, is durable and resists abrasion and contamination.

Applications: Motor windings, terminals, bus bars, commutator ends, stator coils and PC boards.



URETHANE SEAL COAT CLEAR

(12 p/box)

Code: 32669

Clear transparent urethane type coating. Urethane coating seals out water and moisture and acts as a barrier for contaminants. The coating dries fast and adheres well to most surfaces. After curing, the protective film has a high flexibility, is durable and resists abrasion and contamination.

Applications: Motor windings, terminals, bus bars, commutator ends, stator coils and PC boards.



RUST SEAL

750ml
(6 p/box)

Code: 33349

Rust Seal stops the corrosion process by forming a black protective barrier that seals off the rust from moisture. This way, it transforms corroded metal into an easily paintable surface without any time-consuming sandblasting.

Applications: CRC Rust Seal is recommended as a pre-treatment for rusted surfaces before painting. This can include pipes, valves, fittings, storage tanks, fences, conveyors, containers, etc.





2-26 MULTI-PURPOSE LUBRICANT

(12 p/box)

Code: 92005

Plastic safe lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Restores resistance values and helps stop current leakage.

Applications: Connectors, relays, circuit breakers, transformers, switchgear, motors, generators, controls, instruments, communication assemblies, electronics, alarm systems, starters, tubing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks.



5-56 PRO

(12 p/box)

Code: 32734

Displaces moisture, starts wet engines, prevents electrical failures. Lubricates, loosens seized and rusted mechanisms. Removes oil, dirt and grease.

Applications: Seized and corroded parts. To remove moisture from ignition systems. Professional multi-purpose automotive product.





COPPER PASTE

(12 p/box)

Code: 32340

Paste with copper particles for heavy loads at start-up situations. Also acts as anti-seize. Contains micronized copper powder, anti-oxidant and anti-wear additives. Prevents metal-to-metal contact, seizing, galling and fretting corrosion, especially on sliding bearings. Working temperature 1100 °C.

Applications: An effective anti-seize lubricant for: bolts, nuts, pins, bushings, fittings, spark plugs, screw connection, guides for brakes, splines hydraulic equipment, brake adjusters to absorb disk brake noise. Wheel screw, pipeline connections, linkages, flanges, flange seals, exhaust screw connections, press fits, sliding sleeves/shafts



3-36

(12 p/box)

Code: 10110

Multi-purpose corrosion inhibitor with water repellent and lubricating properties. Forms a thin, almost invisible and long-lasting protective film against water and oxygen. Exceptional penetrating properties, allowing the product to work even into the smallest pores and cracks. Protects metal parts from corrosion when stored indoors, during a shorter period.

Applications: Tubing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks, drill rod, heat treated parts, machined surfaces, finished welds, aluminium extrusions, air actuated tools, conveyors, frozen joints, locks, hoists, etc.



WIRE ROPE LUBE

(12 p/box)

Code: 32334

Formulated to provide protection and lubrication under all operating conditions.

Applications: The product penetrates deeply for internal protection of wire ropes, racks and pinions, crown wheels and cams. Driving mechanisms in the construction, ship-yard, docks & marine, quarrying, plant hire, heaving engineering, automotive and manufacturing industries.





DI-ELECTRIC GREASE

Silicone paste
Aerosol
(12 p/box)

Code: 2085
Code: 3082



Non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Waterproofs electrical connections and components. Improves electrical performance in adverse weather conditions.

Applications: Electrical panels, outdoor lighting, scoreboards, traffic lights, high voltage poles, transformers, disconnects, switching mechanisms, electrical contacts, spark plugs, battery terminals, fasteners, o-rings, rubber and plastic parts



BELT GRIP

(12 p/box)

Code: 32601



Water resistant. Aids transmission efficiency and gives extra pulling power. Stops slipping and squeaking. Designed for use in food processing areas where incidental food contact may occur. Prevents slip on all kinds of belts, except toothed belts. CRC Belt Grip increases the transmission of power between belts and pulley. Gives an improved traction and allows running in at reduced belt tension.

Applications: V-belts, flat V-belts, round V-belts



SUPERCUT

(12 p/box)
1ℓ (6/box)
5ℓ (2/box)

Code: 32687
Code: 30353
Code: 20457



Low viscous cutting liquid for normal, metal cutting operations. Non-chlorinated, high performance cutting liquid. Reduces heat created by friction, cools by transferring heat away from cutting tools and removes shavings out of the cutting area. Increases the tool life considerably and protects freshly machined parts from rusting.

Applications: Standard cutting operations, standard metals and alloys for machining





DRY MOLY LUBE

(12 p/box)

Code: 32660

High pressure resistant, dry MoS₂ film for metal-to-metal lubrication where a wet film cannot be tolerated. High temperature resistance. Reduces stick and slip problems. Displaces and seals out water and moisture. General corrosion protection. Prevents seizing and fretting. Produces a very low coefficient of friction.

Applications: Gaskets, transfer belts, conveyor belts, motors, plant machinery and handling equipment, rubber moldings, high temperature, low load, or high rpm slides, rollers, wheels, gears, chains & hoists.



DRY GRAPHITE LUBE

(24 p/box)

Code: 3094

Ideal where a dry lubricant is required or where petroleum products must be avoided. Resists dirt, dust and oil build-up. Working temperature 454.4 °C (constant) 537.8 °C (intermittent).

Applications: Gaskets, transfer belts, conveyor belts, motors, plant machinery and handling equipment, rubber moldings, high temperature, low load, or high rpm slides, rollers, wheels, gears, chains & hoists.



HIGH SPEED CHAIN OIL

(12 p/box)

Code: 32347

A specially formulated blend of high quality mineral and synthetic oils, anti-oxidation and anti-wear additives, friction modifiers and tackiness agents. High Speed Chain Oil penetrates deeply into vital chain pin and bushing areas, then sets to form an adhering, long lasting lubricant film. Designed even for highly loaded fast running chains used in corrosive, high power and shock load conditions.

Applications: Chain drives, sprockets, open gears, wire ropes, pulleys, snatch blocks, hoists, conveyors, forklifts, overhead door drives, motorcycle chains, tractors and farm equipment, construction site equipment, car wash equipment, marine lubrication.



DRY LUBE -F

(12 p/box)

Code: 32602

Grease- and oil-free lubricant for the lubrication of plastic, rubber or metal surfaces. Clean, dry and not sticky. Temperature resistance up to 250°C. As a lubricant, CRC Dry Lube-F is most effective where low speeds and light loads are involved. Recommended for use as a lubricant in food processing areas where incidental food contact may occur.

Applications: Plastic drives and sliding mechanisms, fine mechanics, pneumatic tools, precision instruments, valves, surface treatment. Particularly suitable in low load, low speed applications.





6-66

(12 p/box)

Code: 33261

6-56

(12 p/box)

Code: 6007

Multi-purpose marine lubricant and corrosion inhibitor. Paraffinic oil and a multiple organic inhibitor system that prevents rust and corrosion by displacing and sealing out moisture and by forming a continuous protection barrier against water and oxygen. The oily, almost invisible film of CRC 6-66 lubricates and penetrates into the finest pores and cracks of the surface.

Applications: Ignition systems, distributors, battery terminals, engines, cables, plugs, switches, aerials



MARINE BOAT TRAILER & 4X4 WHEEL BEARING GREASE

(10 p/box)

Code: SL3120

Blue tacky, aluminium complex grease using a highly refined base oil. Formulated with a polymer to provide adhesive, non-blend & water wash-out characteristics. Will resist water under the most severe water conditions.

Applications: Anti-friction bearings, blocks, boat trailer bearings, deck equipment, marine equipment, shaft log seals, sleeve bearings, slides, steering cables, steering dockside machinery, steering quadrants, turn-buckles, wheel bearings, winches





Low viscous cutting liquid
for normal, metal cutting
operations

Supercut

- ▶ Balanced lubrication and excellent cooling reduces friction and provides an increased tool life
- ▶ Lowers operating temperatures and allows for higher operating speeds
- ▶ Stable foam formulation
- ▶ Safe on all metal surfaces, does not stain
- ▶ Convenient 360° (including inverted position) spray valve for aerosols



30353



20457

32687



SMOKE TEST

(12 p/box)

Code: 2105



A convenient, easy and safe product to test the functional ability of a smoke detector. It also checks for obstructions or debris, which clog detector vents and prevents smoke from properly entering the sensing chamber. Simulates smoke to provide a true, functional test for smoke detectors.

Applications: Commercial or residential smoke detectors.



ECO LEAK FINDER

(12 p/box)

Code: I0732



Water based detector for gasses. Meets the requirements of EN 14291 and DVGW (Deutsche Vereinigung des Gas- und Wasserfaches) registration number NG-5170AS0069. CRC ECO Leak Finder detects gas leaks in pressurized pipe work and pressurized systems. At the location of a gas leak, it forms highly visible bubbles. Biodegradable according to OECD 301B: 31%.

Applications: For the detection of almost all gas leaks.



SUPERCUT

(12 p/box)

Code: 32687

1 l (6/box)

Code: 30353

5 l (2 /box)

Code: 20457



Low viscous cutting liquid for normal, metal cutting operations. Non-chlorinated, high performance cutting liquid. Reduces heat created by friction, cools by transferring heat away from cutting tools and removes shavings out of the cutting area. Increases the tool life considerably and protects freshly machined parts from rusting.

Applications: Standard cutting operations, standard metals and alloys for machining





ANTI SPATTER

(12 p/box)

Code: 32318

Non-flammable, solvent based anti spatter, for use on site.

Does not affect post welding operations. No silicone or flammable solvents. Anti-Spatter film is easily wiped away.

Applications: Welding equipment, manual welding equipment, semi-automatic welding equipment, welding robots.



CRICK 110

Cleaner (12 p/box)

Code: 30723

CRICK 120

Colourant (12 p/box)

Code: 30205

CRICK 130

Developer (12 p/box)

Code: 20790



Crick 110 - Solvent cleaner to prepare the surface for examination. A fast drying cleaner for the removal of all kinds of contaminants on the surface to be inspected. Serves as a preparation of the surface before inspection with liquid penetrant.

Crick 120 - Penetrating colourant to mark the cracks and failures. Red coloured, water washable penetrant for non-destructive testing of metal surfaces. The penetrant can flow into tiny cracks within a time frame of 10 to 20 minutes. The excess of penetrant has to be washed away before using the developer.

Crick 130 - Developer to make the marked cracks and failures visible. Magnifies and makes each trace of Crick 120 visible after the developer has been applied, for at least 7 minutes. Post cleaning of the inspected area can be done with Crick 110. Easily removable.

Applications: Non-destructive inspection of materials, parts, assemblies, equipment, surfaces or structures: Cracks, lack of fusion and open cavities in welded parts. Cracks and cavities caused by metal fatigue and cutting operations. Check for porosity or leaks in pipes, tanks, boilers, heat exchangers. Discontinuities, laps, folds and cracks in castings, forgings and ceramics.







AIR SENSOR CLEAN PRO

(12 p/box)

Code: 32712

Safely cleans and protects MAF sensors and is proven to increase horsepower and improve air/fuel ratio. Reduces rough idle, hesitation and pinging and improves fuel mileage. Plastic safe and leaves no residue. Improves and restores the performance and reliability of Mass Air Flow sensors as used on modern injection engines.

Applications: Mass air flow sensors and housing.



BRAKLEEN

(12 p/box)

Code: 5089

Quickly and safely removes brake fluid, grease, oil and other contaminants from brake linings, pads, drums and callipers. Non-staining, non-corrosive and leaves no residue. Safely settles and removes asbestos dust from brake assemblies, preventing inhalation of airborne particles.

Applications: ABS, disc, drum, brake cylinders, brake drums, brake linings, brake shoes, callipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems including springs and wedge brakes.



LECTRA-MOTIVE ELECTRICAL PARTS CLEANER

(12 p/box)

Code: 5018

(12 p/box)

Code: 2018

5018 - An aggressive cleaner specifically for energised electrical equipment. Non-flammable formula dissolves grease, oil, dirt and wax without having to remove parts.

2018 - Quickly and effectively removes grease, oil, tar, dirt, grime corrosion, sludge and other stubborn substances to increase operating efficiency of electric motors and equipment. It offers quick and effective degreasing action, fast evaporation and leaves no residue.

Applications: Designed for use on energised equipment.



CARB & EGR CLEANER PRO


(12 p/box)

Code: 32744

Powerful solvent blend to remove gum, carbon and sludge from carburettors, EGR, PCV and throttle valves in combustion engines.

Applications: Carburettor components, Positive Crank-case Venting (PCV) systems and valves, Exhaust Gas Recycling (EGR) valves, Throttle valves





THROTTLE BODY & AIR-INTAKE CLEANER

(12 p/box)

Code: 5078

Effectively cleans power-robbing gums and varnishes from throttle bodies and air intake systems on fuel-injected vehicles. Improves performance, eliminates hesitation and rough idling while lubricating all moving parts. For maximum performance and MPG use, Throttle Body & Air-Intake Cleaner and MAF Sensor Cleaner every time you service your air filter.

Applications: Recommended for the cleaning of throttle bodies and air intake systems on fuel-injected vehicles. **Do not** use on vehicles equipped with superchargers, turbochargers, diesel engines and/or rotary engines.



GDI VALVE CLEANER

(12 p/box)

Code: 32548

Advanced cleaning technology for intake valves. Dissolves baked-on carbon deposits, improves MPG, increases power and reduces rough idle. Effective for use on GDI and standard PFI engines. Product is not a throttle body cleaner.

Applications: Air intake valves on GDI or standard fuel injected engines.



HIGH SPEED CHAIN OIL

(12 p/box)

Code: 32347

A specially formulated blend of high quality mineral and synthetic oils, anti-oxidation and anti-wear additives, friction modifiers and tackiness agents. High Speed Chain Oil penetrates deeply into vital chain pin and bushing areas, then sets to form an adhering, long lasting lubricant film. Designed even for highly loaded fast running chains used in corrosive, high power and shock load conditions.

Applications: Chain drives, sprockets, open gears, wire ropes, pulleys, snatch blocks, hoists, conveyors, forklifts, overhead door drives, motorcycle chains, tractors and farm equipment, construction site equipment, car wash equipment, marine lubrication.





BATTERY CLEANER WITH ACID INDICATOR

(12 p/box)

Code: 5023

Penetrates and removes corrosion allowing for maximum current flow. Yellow foam turns pink to instantly detect acid leaks and neutralise acid. Effectively cleans terminals, connectors, cases and hold-downs.

Applications: Battery terminals, battery casings, cable connectors and hold-downs.



BATTERY TERMINAL PROTECTOR

(12 p/box)

Code: 5046

Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead-free soft protective coating.

Applications: Battery posts, terminals, hold-downs and casings used in vehicles, boats, handling equipment and uninterrupted power supplies (UPS), and used for computer, security and emergency back-up systems.





INNER SLIDE LUBE

(12 p/box)

Code: 5305

Specially formulated to adhere to fork lift inner slide rails, providing long lasting smooth flawless operating over extended periods. It is designed to lubricate, increase slide motion, and protect against rust and corrosion of fork lift inner slide rails.

Applications: Designed specifically for use on fork lift inner slides.



QD CONTACT CLEANER

(12 p/box)

Code: 32429

QD ELECTRONIC CLEANER

(12 p/box)

Code: 5103

Plastic safe, quick drying and leaves no residue. Ideal for applications where lower flash-point solvents can be used. Flammable, quick drying, complete evaporation.

Applications: Telephones, PCs, relays, edge connectors, tape heads, bus bars, circuits, contacts, printed circuit boards, switches & breakers.



WHITE LITHIUM GREASE

(12 p/box)

Code: 30515

A high purity NLGI 2 white, lithium based grease with an advanced additive package including PTFE for superior lubrication. CRC White Lithium Grease has a smooth consistency for optimum surface coverage.

Applications: Recommended to lubricate hinges, latches, overhead door tacks, open gears and chains, cables, slide conveyors, guide rails, cams and pistons. Excellent as a break-in lubrication for bearings. Also used for general purpose lubrication and corrosion protection for machinery, tools and equipment.



MOTOR STARTER PRO

(12 p/box)

Code: 32723

Professional grade engine starting fluid. Ensures fast, economical starting for all diesel and gasoline engines Unique self-lubricating effect. For all internal combustion engines. Helps at very low temperatures and after long periods of standstill

Applications: Cars, trucks, buses, tractors, motorbikes, chain saws, boats (in-board and out-board), go-carts, stationary engines, compressors. Diesel, gasoline and kerosene engines.





SmartWasher®

Environmentally friendly parts washer

The SmartWasher® Bioremediating Parts Washing System is both self-cleaning and non-hazardous

- Non-toxic
- Non-flammable
- Non-polluting
- Non-hazardous
- Non-corrosive



Code I4740
SW-23 Model
Mobile Parts Washer Kit

(1x SW23 unit +3 Pails SW4 Fluid +
1x FL 4 Filter)



Code I4741
SW-437 Model
Mobile Heavy Weight Parts Washer Kit

(1x SW37unit +5 Pails SW4 Fluid
+ 1x FL 4 Filter)

COMPARISON CHART

Details	SW-23 Mobile parts washer	SW-437 mobile heavyweight parts washer
Overall dimensions	109cm x 68.5cm x 107cm	122cm x 89cm x 114cm
Inside sink dimensions	68.5cm x 58cm x 20cm	84cm x 68.5cm x 20cm
Capacity	57 ℓ (3 units X 19 ℓ)	95 ℓ (5 units X 19 ℓ)
Load Capacity	182 kg	454 kg
Parts Washer Structure	Heavy Duty HDPE	Heavy Duty HDPE
Controls	Toggle Switch	Toggle Switch
Pump Capacity	1 136 LPH	1 136 LPH
Adjustable Thermostat	40 °C to 46 °C	40 °C to 46 °C
Flow control timer	10 minutes	10 minutes
Certified	ETL(UL/CSA), CE, NSF	ETL(UL/CSA), CE, NSF

SMARTWASHERS



OZZYJUICE®


OZZYJUICE is a powerful, aqueous based degreasing solution that is **pH-neutral, non-irritating, non-flammable, and non-toxic.** Armed with superior cleaning capability, the OZZYJUICE solutions will match or surpass the performance of a premium solvent without all the associated risks. All OZZYJUICE solutions are certified by both NSF and AQMD.

THE OZZYMAT

The OZZYMAT traps particulate down to 50 microns in size but more importantly contains OZZYS (microbes). The OZZY microbes, impregnated in the OZZYMAT, are transported along with the OZZYJUICE into the SmartWasher® tank. These naturally occurring OZZY microbes eat the grease, oil, and other contaminants cleaned off the dirty parts and create the harmless by-products of carbon dioxide and water.

OZZY® MICROBES

The OZZY Microbes do their job eating the grease, oil and other contaminants, cleaning off the dirty parts, creating the harmless by-products of carbon dioxide and water, leaving the OZZYJUICE clean and strong and ready to use.



OzzyJuice (Heavy Duty Degreaser Solution)

Code I4148

SW-4 Heavy Duty Solution (20ℓ)



OzzyMat (Filter)

Code I4124

FL-4 Multi-layer filter (4 x filters)

Depending on usage, a pack lasts between 4 - 6 months)



SmartWasher® Start-up Kit

Code I4740

SW-23 Mobile Parts Washer Kit
(1x SW23 unit +3 Pails SW4 Fluid +
1x FL 4 Filter)



Code I4741

SW-437 Mobile Heavy Weight
Parts Washer Kit

(1x SW-37 unit +5 pails SW -4 Fluid + 1x FL Filter)





SmartWasher® value proposition for Sustainable Development



What is Bioremediation

Bioremediation is the use of microbes to break down and “eat” oil, grease, and carbon-based contaminants. This proven biotechnology is used to assist in the clean-up of wastewater treatment ponds and lagoons in petroleum refineries and industrial manufacturing facilities all around the world

The system combines three essential components – the CRC SmartWasher® parts washer, the Ozzyjuice® cleaning fluid, and the OzzyMat® filter that contains a proprietary blend of microbes.

How it works

1. Oil contaminants enter the solution as parts are washed.
2. Surfactant in Ozzyjuice® solution emulsifies the oils.
3. Emulsified oil is eaten by the Ozzy® microbes.
4. Oil is converted into water and carbon dioxide

The Performance Advantage

CRC SmartWasher is effective, even on the toughest carbon, grease, gunk, and oils.

- Exceptional Cleaning Power – meets or exceeds the cleaning performance of manual solvent or aqueous parts washers
- Self-Cleaning Solution – The bioremediation process keeps the fluid clean ready to use time after time

The Cost Advantage

When you compare traditional parts washers against the CRC SmartWasher, the savings are clear

- Less Spending – No ongoing purchase of solvent cleaners
- Minimized Waste – No changing or hauling away of cleaning fluids
- No Contracts – Eliminates hazardous waste removal contracts

The Safety Advantage

A CRC SmartWasher® delivers exceptional cleaning without any of the health risks associated with solvent and aqueous-based parts washers meaning that it is safer for you and for the environment.

- Ozzyjuice Cleaning Fluids – Non-irritating, Non-flammable, Non-hazardous, pH neutral
- Safer for Employees
- Non-flammable and no contact with harmful solvents
- Safer for the Environment – No hazardous waste to recycle making it truly sustainable





By CRC Industries 

Q PRODUCTS





Q20 SUPER MULTI-PURPOSE LUBRICANT

Q20 is the leading multi-purpose lubricant that protects against corrosion, stops rust, lubricates sticky mechanisms and displaces moisture from electrical systems.

Q20 is the ideal light-duty lubricant for use in the home, garage and workshop.

Available in:

150g [Code 030021], 300g [Code 030022], 5l [Code 030023] and 20l [Code 030024]

SILICONE-FREE FORMULA

QLEVER SPRAY

Q20 multi-purpose lubricant in the new QLever Spray can specifically designed to please our customers [Code 030033]

Available in 360g (20% extra)



- **LOCKABLE** - Prevents accidental spraying
- **SAFE** - Stackable
- **EASY TO USE** - Flip up, flip down
- **RELIABLE** - "It's Q20"



Q-SILICONE SPRAY

Q-SILICONE SPRAY is an anti-static lubricant that's perfect for waterproofing jobs, insulation, rust prevention, and the protection of rubber and plastic components. What's more, thanks to its anti-static properties, it's well suited to dusty conditions where it serves to repel dust, rather than attract it like other oils tend to do.

Available in 150ml [Code 030066], 400ml [Code 030073] and 5l [Code 030074]

Q-BIKE DRY LUBRICANT

Q-BIKE is a long-lasting lubricant specially formulated to clean, lubricate and protect bicycle chains.

Designed to repel dirt, extend drive-train life, reduce chain noise and improve performance by reducing friction.

Q-BIKE is a biodegradable, water/wax based emulsion.

Available in 115ml [Code 030090]





Q-PENETRATING OIL

Q-PENETRATING OIL is purposefully formulated for hard to reach places. Thanks to its quick-acting formula, thin viscosity, and rust-solvent properties, Q-PENETRATING OIL is ideally suited as a release agent for stubborn nuts, bolts and pipe fittings.

Available in:

150ml [Code 030002], 400ml [Code 030007],

500ml hand-appliator [Code 030008], 5ℓ [Code 030009] and 20ℓ



Q-PROTECTIVE FILM

Q-PROTECTIVE FILM is a super protective coating that gives long-lasting protection against corrosion and water ingress. Once applied, the solution solidifies into a completely transparent and highly stretchable coating that can later be peeled off.

Q-PROTECTIVE FILM can be sprayed onto any exposed metal surface, and thanks to its extremely high electrical tolerance (up to 1000V), it's perfect for the protection of electrical circuit boards.

Available in 400ml [Code 030061]

Q-GRAPHITE SPRAY

Q-GRAPHITE SPRAY is specially formulated as a penetrating oil. However, because graphite is a dry lubricant, it doesn't attract dirt and dust. Q-GRAPHITE SPRAY works by penetrating hinges, locks and other hard-to-reach fittings with a thin, solvent solution that then evaporates, leaving a layer of dry graphite lubricant. These qualities make Q-GRAPHITE SPRAY ideal in intricate components that don't function well with a build up of dust and oil residue.

Available in 150ml [Code 030005]



Q12 RUST REMOVER

Q12 is a non-abrasive solvent blended rust remover that dissolves rust, prevents recurring corrosion and prepares the surfaces for repainting.

Available in 200ml [Code 030054] and 5ℓ [Code 030052]



Q-ZINC SPRAY

High-performance Zinc based coating of >92% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell.

- Actively fights rust and corrosion.
- Use as a touch-up for damaged galvanized coatings.
- Dries quickly.
- The dry coating is matt and has an excellent surface structure to be painted.
- 1 - 2 years outdoor protection.

Available in 400 ml [Code 1050247]

Q-LITHIUM GREASE

A white liquid that contains PTFE for extra lubricity.

- Excellent water resistance.
- Provides long lasting lubrication.
- Does not run or drip off.
- Protects metals and alloys.

Available in 400ml [Code 1050245]



Q-CONTACT CLEANER

For high performance cleaning of Electrical and Electronic Equipment.

- Non-conductive.
- Non-corrosive.
- Non-staining.
- Has no flash or fire point.
- No residue.

May be harmful to some plastics.

Available in 400 ml [Code 1050249]



Q-VALVE CLEANER

A clear colourless liquid.

- Increases power and torque.
- Reduces emissions and improves fuel economy.
- No top-engine disassembly.
- Safe on turbos and intercoolers.
- Stabilizes rough idle.

Available in 400ml [Code 1050255]



Q-MAF CLEANER

Improves and restores the performance and reliability of Mass Air Flow sensors as used on modern injection engines.

- Colourless liquid.
- Leaves no residue.
- Evaporates completely.

Available in 400ml [Code 1050257]



Q-IN-ONE MULTI-PURPOSE OIL

Q-IN-ONE is a high-tech general purpose lubricant that cleans, protects and lubricates in all household and special industrial applications.

Q-IN-ONE is ideal for sewing machines, hair clippers and pneumatic tools.

Available in 100ml [Code 030010]

SILICONE-FREE FORMULA





								
CLEANS	✓	✓	✓	✓	✓		✓	
LUBRICATES	✓	✓	✓	✓	✓		✓	
PROTECTS	✓	✓	✓	✓	✓	✓	✓	
LOOSENS RUSTED PARTS		✓	✓		✓			✓
DISPLACES MOISTURE	✓	✓				✓		
REMOVES RUST		✓	✓		✓			✓



STUCK IN A TIGHT SPOT?

Q PRODUCTS aerosols have a 360° ball-bearing valve below the nozzle, enabling the aerosol can to be inverted completely and still give you the perfect spray for all those hard-to-reach areas.



HYLOMAR GASKET SEALANT

Hylomar Universal Blue is the leading non-setting gasket and jointing compound that is resistant to water, coolant, gases, oils, fuel and chemicals. Hylomar has a wide operating temperature from -40°C to +250°C.

Available in 100g [Code 022003] and 350g [Code 022004]

Exclusive Hylomar agents Sub-Saharan Africa - Balance of range available on request www.hylomar.com





RIGHT ON “Q”

Thanks to its triple-action formula, Q20 has been a firm favourite amongst firearm enthusiasts, hunters and fishermen for more than 70 years!

However, as polymer technology becomes commonplace in the firearm and fishing markets, caution should be taken when using multipurpose oils on plastic components.

Fortunately, the folks at Q20 have removed the guesswork from your maintenance routine by formulating two plastic-safe products that are specially engineered for firearms and fishing reels.

Q-GUN

As most gun owners know, firearms require surprisingly little lubrication. Meaning, a small quantity of oil needs to lubricate against extreme heat, load, and unimaginable speed.

Just as important, corrosion resistance is vital for self-defence firearm owners who carry their pistols everyday. In these instances, your chosen lubricant must have excellent corrosion properties that protect against body sweat and moisture.

Finally, the fundamental principle of any firearm maintenance routine boils down to one thing: Cleanliness. A carbon-filled firearm is an unreliable firearm, which is why Q-Gun is formulated to breakdown carbon deposits, without risking damage to plastic components.

Available in 150ml [[Code 030080](#)] and 400ml [[Code 030082](#)]



Q-FISH

It's the greatest fear of any fisherman: A severed line and a tale about the “One that got away”. Once again, because many multipurpose oils are not plastic safe, you run the risk of damaging your fishing reel (or worse yet, your fishing line!) when the oil comes into prolonged contact with sensitive plastics.

Q-FISH is tested to be 100% plastic- and nylon safe. The oil also features excellent corrosion-protection properties against saltwater environments, and acts as a high performance cleaner and moisture repellent, too.

Available in 150ml [[Code 030079](#)]





EVAPO-RUST™ RUST REMOVER



EVAPO-RUST™ Rust Remover is an environmentally safe, water based product that has been proven to make even deep rust disappear in minutes, without any scrubbing. It restores rusted tools, auto parts, firearms and all rusted steel to 'like-new' condition.

EVAPO-RUST™ will not harm metals, rubber, plastic, PVC, Viton, paints, or unrusted steel and provides excellent long-term rust protection.

EVAPO-RUST™ is safe to use - non-toxic, non-corrosive, non-flammable, and contains no acids, alkalis or petroleum solvents. EVAPO-RUST™ is biodegradable.

Available in 1ℓ [Code 036120], 5ℓ [Code 036124] and 20ℓ [Code 036128]

- Removes rust quickly without scrubbing
- No fumes or bad odours
- Non-flammable VOC's
- Non-toxic
- Non-corrosive
- Safe on skin
- Non-flammable
- No VOCs
- Water soluble
- Biodegradable
- Contains no acids or solvents
- Will not harm un-rusted steel
- Will not affect plastics
- Safe disposal in drain
- An excellent rust inhibitor
- Safe on all metals
- Reusable





- **RTU: Ready to use**
- **No scrubbing or sanding required**
- **Soak and let the product work its magic**
(soaking time = 2 - 12 hours)



READY TO USE ON:



Tools/Hardware



Auto



Household



Equipment



CRC Industries RSA (Pty) Ltd

NATIONAL SALES MANAGER:

Rick Ellis +27 (0) 78 097 8028 - rick.ellis@crcind.com

BUSINESS DEVELOPMENT MANAGERS:

Johnny Johnson +27 (0) 79 922 9494

johnny.johnson@crcind.com

Eastern Cape, Gauteng

Elena Turnbull +27 (0) 64 652 3238

elena.turnbull@crcind.com

Western Cape

Scott Houston +27 (0) 71 679 1852

scott.houston@crcind.com

Free State, North West, Gauteng South,
Northern Cape (Kimberley region)

Riaan Scheepers +27 (0) 82 333 3010

riaan.scheepers@crcind.com

Limpopo, Mpumalanga, Gauteng North,
(Pretoria region)

Glen Kirkman +27 (0) 67 600 5979

glen.kirkman@crcind.com

KwaZulu-Natal

www.crcindustries.co.za

Tel: +27 011 452 7048

